



Add: No. 2555, Qianghua Road, Nanxun Economic Development Zone, Huzhou City, Zhejiang Province, China Tel: +86-0572-3636576 E-mail:cyma@vksfujilift.com Http://www.vksfujilift.com

The printed products are for reference only, the company has the right change the designs and specifications of the products at any time, the information contained in the printed products does not constitute any express or implied guarantees or commitmente for the products and its applicability merchantability, and quality of special purposes, or any terms of procurement agreement.

2020 version







Moving walk



Hospital elevator



Shopping cart escalator



Stair elevator



Freight elevator



Lifting platform





Zhejiang Aoma Elevator Co., Ltd. is located in Nanxun, Huzhou, Zhejiang, China. Nanxun is a veritable smart elevator town. The smart town takes the entire elevator manufacturing as its core, integrates leading elevator parts companies, introduces high-end technical talents, realizes technological innovation and builds China's leading elevator characteristic industry. The characteristic towns are small and beautiful, with exquisite features. Our products include: passenger elevators, home elevators, sightseeing elevators, moving walk, escalators, car elevators, hospital elevators, shopping cart escalators, as well as other types of elevators and various elevator accessories, providing you with select. We always adhere to the height of the international elevator industry, introduce advanced equipment at home and abroad, strive to improve production efficiency and product quality and only provide you with better and safer elevator products;

Our company always puts customers first. Before placing an order, we will customize the elevator for you according to the different requirements of the customer, such as the specific specifications of the elevator shaft, the height of the floor, the design of the machine room and the size and height of the elevator. Elevator car... We know that each customer has different requirements for elevators, which is why customization is our top priority. Another feature we are proud of is that we provide customers with free elevator civil drawings before placing orders, customize products according to customers' requirements, and attach a complete English assembly instruction manual to the final delivery for customers understand that our custom products work without difficulty.

Comfortable travel transport specialist in vertical space

In order to meet the different needs of global users for elevators and adhere to the height of the international elevator industry, we implement very strict industry standards. High strength hall door, anti pickling door device, speed limiter, safety gear and other safety protection devices, real-time monitoring, to ensure the safety of passengers using the ladder.

VVVF inverter control integrated controllerr

Integrated controller is an intelligent control system which integrates computer technology, automatic control technology, network communication technology and motor vector drive technology. It has international advanced level.

Prevent the car from moving accidentally

When the elevator is in the leveling device and the door is not closed, if the elevator moves unexpectedly, the cump safety device will immediately activate the protection to ensure the operation of the elevator

VVVF variable frequency gantry crane system

Advanced VVVF transformer and synchronous control technology are applied to elevator door motor system to ensure smooth and quiet opening and closing of elevator door.

Buffer

It can absorb the normal impact energy of the elevator to the maximum extent and ensure the safety of the passenger elevator.

Speed governor

When the elevator exceeds the standard speed limit, the speed limiter will cut off the safety circuit to ensure that the elevator stops running.

Safety gear

When the elevator exceeds the standard speed, the safety gear will function through the speed limiter linkage device to ensure that the elevator stops safely.

Reliability

The traction system, door system and other main component systems have passed strict reliability tests to ensure the reliable operation of the elevator under long-term and heavy-load conditions.

The button with anti-drop design is sturdy and reliable, and can withstand improper use. Efficient permanent magnet synchronous gearless traction machine.

- ◆High magnetic flux density electromagnetic structure, high efficiency and low noise.
- ◆A more uniform force and a more stable structure effectively reduce the wear of the traction wire rope and prolong the service life of the bearing.
- +High peak torque and strong overload capacity make the operation stable and reliable.

Energy saving

We are committed to improving space utilization and reducing customers' construction costs.

PM synchronous tractor and integrated controller have compact size and layout, which can reduce the area of the machine room.

The area of the machine room is the same as that of the hoistway. Only accounts for 50% of the traditional computer room area.


The machine roomless elevator saves more building space

Adhering to the product development concept of "energy saving and environmental protection", we use advanced green technology to produce low energy consumption products.

The energy efficiency rating of the product reaches A level.

Digital frequency conversion technology and permanent magnet synchronous traction technology can adjust the motor current in real time, and greatly reduce the average current during the operation of the motor to save energy.

The lighting system uses LED technology, which has the characteristics of high efficiency, energy saving, long life, environmental protection, no radiation, and easy maintenance, creating a low-carbon life.





Green low-carbon fully enjoy a natural and harmonious green space

Energy feedback technology

The energy feedback device enables the conversion of the heat energy produced in the elevator operation into electric energy and feedback to the power grid. In this case, the energy utilization is maximized with an energy-saving ratio of 30% above.









Top-class technology intelligent innovation

Top advanced door operator system

The door operator control system of Our company applies dual control systems. One group is controlled by main controller of control cabinet, the other one by door operator controller, which greatly reduces non-opening accidents due to trouble of door machine control.

Fully computerized integrative and intellectual control system

Our company gives a full play of human intelligence by variable frequency, speed governor elevator technology with top grade, fully computerized, modular data intellectual network control. It brings about the more perfect and flexible systematic functions. It executes the most secure, accurate, effective management control to the elevator operation. Under the conditions of not changing the conveying configuration, its special-purpose modular structure is more convenient for the elevator renewal and upgrading in future.

Light curtain door protection system

It forms light curtain barrier in front of elevator door with 94 infrared light beams protection. It sensitively reacts to any person / object that enters into the probing plane with high safety properties. It quickly re-starts door machine opening to prevent from clamping.

Liquid crystal touch operation system

Liquid crystal touch screen is simple in operation and convenient in installation. User only needs to touch graphic button in screen, then touch feedback system in screen can drive various connection devices according to systematic program. It applies touch screen to produce the first-class user operation experience. Let's feel brand-new man/machine inter-communication!








Small machine room elevator

Internal and external repair, quality of construction


Today with the flourishing developments in the construction industry, elevator is indispensable to the buildings. passenger elevator is high quality elevator that integrates the excellent performances and comfortable experience into one. It is your best choice in residence, commercial building, office building, commercial center, hotel, restaurant etc.

Reasonable construction layout

Machine room is exactly the same as the well. It reduces 250mm of machine room height. It pre-leaves a larger building space.



Machine room in machine room elevator



Machine room in samll machine room elevator




Machine roomless elevator


It easily merges with the building and enhances the building values

With machine room less structure, control cabinet and traction are placed in the shaft flexibly. It saves construction area and with artistic and simple shape, which reduces comprehensive construction cost and leaves design spece for architects and developers.

Low energy consumption, space-saving


It is low energy consumption-based. It fully considers building space's utilization rate and cost. Using compact layout and flexible design style and cleverly integrating all kinds of buildings, it is the first choice for modern individualized buildings.








Machine room in machine room elevator machine roomless elevator





Passenger elevator

Our company the flourishing developments in the construction industry, elevator is indispensable to the buildings. Express passenger elevator is high quality elevator that integrates the excellent performances and comfortable experience into one. It is your best choice in residence, commercial building, office building, commercial center, hotel, restaurant etc. Express passenger elevators are ample in varieties, e.g. passenger elevator with machine room, small machine room elevator, machine room-less elevator, low speed elevator, medium speed elevator, high speed elevator. Express passenger elevators with complete specifications and beautiful decoration satisfy different requirements from various users in all walks of life in an omni-bearing way.

Passenger elevator car decoration





CMCP-001

STANDARD

Ceiling: Hairline stainless steel, LED lights, acrylic board

Car wall: Hairline stainless steel

Handrail: None

Passenger elevator car decoration





CMCP-002

OPTIONAL

Ceiling: Mirror stainless steel, acrylic transparent board, LED lights

Car wall: Mirror etched stainless steel for center plate, auxiliary hairline stainless steelard, LED lights

Handrail: Stainless steel single round tube on both sides

Floor: PVC(Standard), Marble(Optional)





CMCP-003

OPTIONA

Ceiling: Mirror stainless steel, acrylic transparent board, LED lights

Car wall: Mirror etched stainless steel , auxiliary hairline stainless steel

Handrail: Stainless steel single flat





OPTIONAL

Ceiling: Mirror stainless steel, acrylic transparent board, LED lights

Car wall: Etched stainless steel , auxiliary mirror stainless steel

Handrail: None

Floor: PVC(Standard), Marble(Optional)





CMCP-005

OPTIONAL

Ceiling: Mirror stainless steel, acrylic transparent board, LED lights

Car wall: Mirror etched stainless steel for center plate, auxiliary hairline stainless steel

Handrail: None

Floor: PVC(Standard), Marble(Optional)





Ceiling: Mirror stainless steel, acrylic transparent board, LED lights

Car wall: Mirror etched stainless steel for center plate, auxiliary wood grain steel plate

Handrail: None

Floor: PVC(Standard), Marble(Optional)






CMCP-007

OPTIONAL

Ceiling: Mirror etched stainless steel for center plate,auxiliary hairline stainless steel

Car wall: Mirror etched stainless steel for center plate,auxiliary hairline stainless steel

Handrail: None





OPTIONAL

Ceiling: Mirror stainless steel, acrylic transparent board, LED lights

Car wall: Mirror etched stainless steel for center plate, auxiliary hairline stainless steel

Handrail: Stainless steel single flat

Floor: PVC(Standard), Marble(Optional)





CMCP-009

OPTIONAL

Ceiling: Mirror stainless steel, acrylic transparent board, LED lights

Car wall: Mirror etched stainless steel for center plate, auxiliary hairline stainless steel

Handrail: Stainless steel single round tube

Floor: PVC(Standard), Marble(Optional)







CMCP-010

OPTIONAL

Ceiling: Middle image vault, stainless steel plates on both sides, LED down

Car wall: Mirror etched stainless steel for center plate, auxiliary hairline stainless steel

Handrail: Mirror stainless steel single round tube

Floor: PVC(Standard), Marble(Optional)



CMCP-011

OPTIONAL

Ceiling: Mirror stainless steel, ached roof, LED lights

Car wall: Mirror etched stainless steel for center plate, titanium etched and hairline stainless steel for the auxiliary plate

Handrail: Stainless steel single flat





OPTIONAL

Ceiling: Mirror stainless steel, ached roof, LED lights

Car wall: Mirror etched stainless steel for center plate, auxiliary hairline stainless steel

Handrail: Stainless steel single flat

Floor: PVC(Standard), Marble(Optional)





CMCP-013

OPTIONAL

Ceiling: Mirror stainless steel with down light

Car wall: Three sides car wall middle plate mirror etched stainless steel, auxiliary hairline stainless steel

Handrail: Stainless steel single round tube on both s-

Floor: PVC(Standard), Marble(Optional)







CMCP-014

OPTIONAL

Ceiling: Mirror stainless steel frame, transparent organic lam post frame with acrylic craft board hidden lamp belt

Car wall: Mirror etched stainless steel for center plate, auxiliary hairline stainless steel

Handrail: Stainless steel single round tube

Floor: PVC(Standard), Marble(Optional)





CMCP-015

Ceiling: Mirror stainless steel frame, acrylic transpaent board, LED lights

Car wall: Mirror etched stainless steel for center plate, auxiliary mirror etched stainless steel

Handrail: Mirror stainless steel double round tube on three sides





OPTIONA

Ceiling: Titanium gold mirror etched stainless steel, LED lights

Car wall: Titanium gold mirror etched stainless stee-I, auxiliary mirror etched stainless steel

Handrail: Titanium gold mirror stainless steel double round tube

Floor: PVC(Standard), Marble(Optional)





CMCP-017

OPTIONAL

Ceiling: Wooden shape, acrylic lighting, LED lights

Car wall: Solid wood paint, titanium mirror etched stainless steel

Handrail: None

Floor: PVC(Standard), Marble(Optional)







CMCP-018

OPTIONAL

Ceiling: Mirror stainless steel, double arched acrylic plate, LED lights

Car wall: Sprayed steel plate, auxiliary mirror etched stainless steel

Handrail: Stainless steel single round tube

Floor: PVC(Standard), Marble(Optional)



CMCP-019

OPTIONAL

Ceiling: Titanium gold mirror etched stainless steel, acrylic decorative lights, LED lights

Car wall: Titanium gold mirror etched stainless steel, titanium stainless steel and pattern plate

Handrail: None





OPTIONAL

Ceiling: Titanium gold mirror etched stainless steel, acrylic decorative lights, LED lights

Car wall: Wood veneer, titanium gold stainless steel

Handrail: None

Floor: PVC(Standard), Marble(Optional)





CMCP-021

OPTIONAL

Ceiling: Steel plate paint frame, surrounded by champagne gold mirror with LED down light

Car wall: Champagne gold mirror, hairline etching pattern combination

Handrail: None

Floor: PVC(Standard), Marble(Optional)







CMCP-022

OPTIONAL

Ceiling: Milky white paint frame, organic lamp post, stainless steel mirror in the muddle, LED lights all around

Car wall: Titanium mirror stainless steel, titanium gold mirror etched stainless steel

Handrail:None

Floor: PVC(Standard), Marble(Optional)



CMCP-023

OPTIONAL

Ceiling: Titanium gold mirror stainless steel, acrylic decorative lights

Car wall: Titanium stainless steel, mirror etched stainless steel

Handrail: Titanium etched stainless steel single flat






OPTIONAL

Ceiling: Champagne gold mirror frame, organic lighting in the middle, LED light

Car wall: Champagne gold mirror and pattern plate, champagne gold mirror stainless steel

Handrail: Champagne gold and mirror combine single round tube on three sides

Floor: PVC(Standard), Marble(Optional)





CMCP-025

OPTIONAL

Ceiling: Titanium gold mirror stainless steel, acrylic decorative lights

Car wall:Titanium mirror etched stainless steel

Handrail:Titanium etched stainless steel three round tube on three sides

Floor: PVC(Standard), Marble(Optional)







CMCP-026

OPTIONAL

Ceiling: Titanium gold mirror stainless steel, double arched acrylic light plate, LED lights

Car wall: Titanium etched stainless steel

Handrail: Titanium etched stainless steel single flat

Floor: PVC(Standard), Marble(Optional)



CMCP-027

OPTIONA

Ceiling: Titanium gold mirror stainless steel, double arched acrylic light plate, LED lights

Car wall: Titanium mirror etched stainless steel

Handrail: Solid wood decoration, titanium stainless steel single round tube on both sides





OPTIONAL

Ceiling: Mirror stainless steel, acrylic lighting, LED lighting

Car wall: Titanium stainless steel, titanium mirror etched stainless steel

Handrail: None

Floor: PVC(Standard), Marble(Optional)





CMCP-029

OPTIONAL

Ceiling: Titanium mirror stainless steel, acrylic lighting, LED lighting

Car wall: Titanium mirror etched stainless steel

Handrail: None

Floor: PVC(Standard), Marble(Optional)





CMCP-030

OPTIONAL

Ceiling: Mirror stainless steel, acrylic lighting

Car wall: Wood grain decorative board, mirror etch-

Handrail: None

Floor: PVC(Standard), Marble(Optional)





CMCP-031

OPTIONAL

Ceiling: Rose gold frame with down light, silver tin fail in the middle

Car wall: Rose gold mirror etched, middle hard foreskin decoration

Handrail: Rose gold plated stainless steel single round tube on both sides

Observation elevator Super enjoyment of mobile scene Fine and exelecsive observation elevator enhances building grade. It highlights the whole building. Observation elevator is a mobile scene. It has fine and exquisite visual aesthetics, perfect and comfortable travel. It applies modern new material and new fully computerized, vector type variable frequency speed regulation (VVVF) control technology. It combines with data network system, modular structure, the latest machining craft & technology.

Fiberglass reinforced plastic construction

It perfectly displays an overall compact and beautiful space. It can carry out different construction layout designs. It is prompt and convenient, round, half-round, square etc. are available for your free choice.



shaped









prospects







shaped

Observation elevator car decoration







CO/CON-01

OPTIONAL

Car cover:

Hairline stainless steel

Observation wall:

Safety laminated glass

Decoration ceiling:

Mirror stainless steel, LED lights, acrylic decorative lights

Car wall:

Hairline stainless steel

Handrail:

Stainless steel tube

Floor: PVC(Standard), Marble(Optional)

CO/CON-02

OPTIONAL

Car cover:

Hairline stainless steel

Observation wall: Safety laminated glass

Decoration ceiling:

Mirror stainless steel, LED lights

Car wall: Hairline stainless steel

Handrail:

None

Floor: PVC(Standard), Marble(Optional)

CO/CON-03

OPTIONAL

Car cover:

Steel plate spraying with decoration lamp

Observation wall:

Safety laminated glass

Decoration ceiling:

Mirror stainless steel, acrylic decorative lights

Car wall:

Hairline stainless steel

Handrail:

Stainless steel tube

Observation elevator

car decoration







CO/CON-04

OPTIONAL

Car cover:

Steel plate with spraying

Observation wall:

Safety laminated glass

Decoration ceiling:

Mirror stainless steel, LED lights, acrylic decorative lights

Car wall:

Hairline stainless steel

Hairline S

Handrail: Stainless steel tube

Marble(Optional)

Floor: PVC(Standard),

CO/CON-05

OPTIONAL

Car cover:

Hairline stainless steel

Observation wall:

Safety laminated glass

Decoration ceiling:

White ceiling light plus downlight

Car wall:

Hairline stainless steel

Handrail:

Stainless steel three tubes

Floor: PVC(Standard), Marble(Optional)

CO/CON-06

OPTIONAL

Car cover:

Hairline stainless steel

Observation wall:

Safety laminated glass

Decoration ceiling:

Hairline stainless steel,

acrylic lighting

Car wall:

Hairline stainless steel,

mirror etched stainless steel

Handrail:

Stainless steel single tube

Floor: PVC(Standard),

Marble(Optional)







CO/CON-07

OPTIONAL

Car cover:

Steel plate banking and decoration lighting

Observation wall:

Safety laminated glass

Decoration ceiling:

Hairline stainless steel, acrylic lighting

Car wall:

Hairline stainless steel

Handrail:

Stainless steel single tube

Floor: PVC(Standard), Marble(Optional)

CO/CON-08

OPTIONAL

Car cover:

Hairline stainless steel

Observation wall:

Safety laminated glass

Decoration ceiling: Hairline stainless steel,

acrylic decorative lights

Car wall:

Mirror stainless steel

Handrail:

Stainless steel tube

Floor: PVC(Standard),

Marble(Optional)

CO/CON-09

OPTIONAL

Car cover:

Steel plate with spraying

Observation wall:

Safety laminated glass

Decoration ceiling:

Mirror stainless steel,LED lights,

acrylic decorative lights

Car wall:

Hairline stainless steel

Handrail:

Stainless steel tube

Floor: PVC(Standard),

Marble(Optional)

Observation elevator

car decoration







CO/CON-10

OPTIONAL

Car cover:

Titanium mirror, high-end decoration

Observation wall:

Safety laminated glass(3PCS)

Decoration ceiling:

Titanium mirror, high-end lighting

Car wall:

Titanium mirror etching, titanium mirror stainless steel

Handrail:

Titanium mirror double tube armrest

Floor: PVC(Standard), Marble(Optional)

CO/CON-11

OPTIONAL

Car cover:

Titanium stainless steel

Observation wall:

Safety laminated glass

Decoration ceiling:

Titanium stainless steel,acrylic decorative lights

Car wall:

Titanium mirror stainless steel

Handrail:

Titanium stainless steel tube

Floor: PVC(Standard), Marble(Optional)

CO/CON-12

OPTIONAL

Car cover:

Titanium stainless steel and

decorative lights

Observation wall:

Safety laminated glass

Decoration ceiling:

Painted steel plate, acrylic lighting

Car wall:

Titanium mirror stainless steel

Handrail:

Titanium stainless steel tube

Floor: PVC(Standard), Marble(Optional)







CO/CON-13

OPTIONAL

Car cover:

Titanium stainless steel

Observation wall:

Safety laminated glass

Decoration ceiling:

Titanium mirror stainless steel, LED lights

Car wall:

Titanium mirror stainless steel

Handrail:

Stainless steel single tube

Floor: PVC(Standard),

Marble(Optional)

CO/CON-14

OPTIONAL

Car cover:

Steel spraying, hairline stainless steel

Observation wall:

Safety laminated glass

Decoration ceiling:

Hairline stainless steel,LED lights, acrylic decorative lights

Car wall:

Hairline stainless stee, steel spraying

Handrail:

Stainless steel tube

Floor: PVC(Standard),

Marble(Optional)

-

CO/CON-15

OPTIONAL

Car cover:

Steel plate baking varnish, acrylic lighting

Observation wall:

Safety laminated glass

ourcey farminated glass

Decoration ceiling:

Titanium mirror stainless steel, painted craft board, LED downlight

Car wall:

Titanium mirror stainless steel


Handrail:

Titanium mirror single tube

floor armrest

Floor: PVC(Standard),

Marble(Optional)



Moving walk

Let's pleasantly enjoy a happy life in movements

Moving walk can not only meet the transportation problem of the large flow of people, and can meet the walking long distances and transport, baggage car, baby carriages, shopping cart, disability and other vehicles, so that people ride especially feeling rulvpingde down the stairs on the occasion of the shopping, greatly and people's travel and shopping.



Escalator

Escalator series products have been products according to the current international standard and Chinese standard. It fully applies the novel materials and advanced technology both at home and abroad to design and manufacture the escalators. It has the features such as smooth running, low noise, fine durability, convenient repair, fine and exquisite structure, consummate lift-way, remarkable belt-way, attractive outline model, magnificent design style with gentle modern flavor. A safe, cozy and beautiful escalator can let you enjoy the pleasant and comfortable moment every day.

Reliability

The drive unit that uses high-precision reducer and 6-pole motor features high torque, low noise, stable transmission and good shock absorption.


Finite element analysis is used in truss system design to achieve stable structure, high rigidity and strong supporting capacity. Angle steel is applied in the structure and corrosion.

High-duty structural design, reliable transmission components and different waterproof and anticorrosion treatments enable the product to adapt to various installation encironments.










Leading technology produces smooth traffic & transpovrt

Demarcation lamp

Soft and green fluorescent light sends out from the engaging teeth in-between two adjacent steps (treads) in up / down end. It reminds the passengers to pay attention to the step entry / exit horizontal section. It thus enhances the travel safely.



Skirt panel brush

The full skirt deflector provides protection against the clamped risk between the skirt panel and the step.



Drive chain safety devicev

Handrail entry safety protection
 Protection against risk of foreign matters being jammed into handrail entry.



Once drive chains are broken, this device shall cut off the power supply of motor and brake and at the same time the drive ratchet shall stop the operation of passenger conveyor.



Antibiotic handrail

Automatic lubricator

for oiling and lubrication.

It is controlled by micro-computer. It gives lubricating signal within the set period. It

automatically connects with hydraulic pump

The antibiotic handrail can prevent pathogen transmission effectively and the ride be made in safe and sanitary environment.




Emergency stop button

Once this button is pressed, the passenger conveyor comes into an emergency stop.




Side guide high accuracy step guide rail system

High rigidity big profile guide rail with nose used as transverse step positioning, guarantee the minimum gap between the skirt and step, decrease the possibility of objects clamp in between.




• Step loss protection device

The detector is in driving station and steering station respectively. It ensures that the gap out of step (tread) loss does not appear in the entry in up / down motion. Driving station and steering station sets protective detection functions. They shall be verified respectively under normal operation conditions. After the device acts, it can only be reset manually.



Front ends of comb plates are installed on springs. If any foreign substance is nipped between moving escalator steps and static comb plates; such plates will move in vertical or backward directions, and trigger the safety switches monitoring at both sides of the plates, and the escalators will be automatically stopped.




natically stopped.



Optional function

Skirting panel lighting

White / Blue / Red



Handrail color

Black / Gray / Red / Blue




Step

Stainless steel step



Aluminum alloy step



Comb
Aluminium alloy



Floor plate
Aluminium alloy



Shopping cart escalator



Let's enjoy the pleasant shopping process

The shopping cart into the escalator can make the shopping cart along with the rail and escalator synchronous step forward, which reduces the original flat elevator occupies a large space and long-distance weakness while reducing the burden of consumers shopping.

Overall planning is easy for maintenance

In order to better ensure the coordination of the product equipment and application environment, we comprehensively analyze the use environment. We offer the most optimized solution plan. At the same time of considering that the product properties satisfy the building and passenger flow transport requirements, we enhance the use performance to the greatest extent for you. It is thus convenient for later maintenance and upgrading. Within the use life circle of the building, all the parts can be renewed and upgraded. We reduce the operation cost to the maximum degree. We thus fulfill the transport purpose of simple, flexible, durable, high-cost benefit.



Security fence



Shopping cart running track



Shopping cart escalator entrance



Shopping cart escalator export

Hospital elevator

Caring your life Bold

Hospital elevators are not only used to transport passengers, but also have special and strict requirements for the performance due to the special usage. Hospital elevators can run smoothly and comf-ortably. Creating a quiet, elegant space for the pa-ssengers.



Ceiling: Painted steel plate, LED lighting Ventilation: Axial fan Car wall: Hairline stainless steel Handrail: Double flat stainless steel Floor: PVC Landing door: Hairline stainless steel





Dumbwaiter elevator

Dumbwaiter elevator using industrial computer (PLC) or computer control, complete specifications, novel structure, fine workmanship, with safe, reliable stable, easy to operate. The car and landing doors are made by high quality stainless steel plate production lines, luxury and beautiful. It is widely used in hotels, restaurants and other units, it is warmly welcome by users.

Car elevator









Dual operation panels design

Special circuit control and display system





Safety guide device

Front-and-aft opening elevator car

It deducts extraordinary travel experiences.

Automobile elevator introduces well-developed international car elevation technology. It develops and manufactures automobile elevator through absorption, transformation and improvement. Advanced technology removes shaking car problem due to noise, burdened traction system and uneven force to elevator car. It optimizes characteristics of the product series.

Freight elevator

Bear with any heavy load at ease

Freight elevator applies fully computerized modular elevator special-purpose control system, effective and reliable drive mode, gentle and sensitive VVVF variable frequency door machine. It can flexibly carry with any heavy loads at ease under various working conditions. High strength car structure, anti-collision strip, light curtain door can satisfy various goods transport uses. It adapts to different building structures. It can competently bear with any heavy loads at ease. It creates a brandnew goods delivery concept.



It saves 25% of total elevator area.



It reduces 40% of space occupation rate.



Stair elevator

Intellectual auxiliary hoist intellectual hoist electric balancing device

Excellent design of intellectual hoist Ai system ensures that operator is in the correct ergonomics position. Meanwhile, it can fully control the load. Control handle is equipped with programming software. It can be tailormade according to the clients' application requirements.

Linear instinct induced handle controls the intellectual hoist servo system. Therefore it can train less operators. Handle is reacted by instant touch. Hold and operate it to move the load

Intellectual straight-rail stair chair lift

Stair chair lift can help the old / disabled to independently up / down the stairs. It solves the problem of difficult up / down with convenient installation. It operates along the rail left / right of the stairs. It does not destroy any family facilities. It is especially suitable for decorated houses. Stair chair lift applies combination of steel structure, aluminum alloy casting and combustible plastic housing with safe and reliable properties, popular and attractive outline.









Lifting platform

Car of SCANLI hoist is bright and abroad. It is economical and practical. It features as prompt and convenient transport, safe, reliable, smooth operation, large loading capacity etc. It is the best goods transport tool in the factory, warehouse, shopping center, library and so on.



Single shear lifting platform



Scissor lift platform



Fixed boarding bridge



Double shear (horizontal) lifting platform



Four-post freight elevator



Double shear (vertical) lifting platform



Mechanical freight elevator



Car lifting platform



Hydraulic freight elevator



Mobile boarding bridge

Operation panel series



CMP-01 (Standard)





CMCB-01 (Standard)



CMCB-01A (Optional)



(Optional)



CMP-02 (Optional)





CMCB-02

(Optional)

CMCB-02B (Optional)

Optional button



AN-01



AN-02



AN-03



AN-04



AN-05



AN-06





CMCB-03 (Optional)



CMP-03 (Optional)

5

2

...



CMCB-03A (Optional)



Hairline stainless steel

(Standard)

0 0

0 0

9 Q

0

0

00

Mirror stainless steel (Optional)



Titanium gold stainless steel (Optional)

Optional display screen



CMD-01 LCD display (Standard)



CMD-02 TFT display (Optional)



CMD-03 Advertising display (Optional)

Landing door series



Optional CMLD-006

Mirror, etched

Optional


Note: The decoration requirements (material, color) of the ceiling of the car hall door can be customized according to your own needs, which is almost the meaning.

Optional CMLD-005


Mirror, etched

CMLD-004

Mirror, etched



Landing door series



Optional CMLD-017

Titanium, mirror and etched


CMLD-016

Rose, mirror and etched

Optional CMLD-018

Titanium, mirror and etched

Optional



Optional CMLD-024

Rose, mirror and etched

Optional CMLD-023

Titanium, mirror and etched


CMLD-022

Titanium, mirror and etched

Optional

Ceiling series







Handrail series



Floor series



The pictures are plotted by computer and are likely somewhat different from the actual products.

Shaft solution plan

Features of aluminum alloy shaft frame

Independent frame glass design has no extra increase of the building cost with fine light transparency. It integrates with indoor decoration into one. Installation position can be chosen by the user. It resists any corrosion with long service life. It chooses industrial-level aluminum alloy. Glass applies safety laminated glass.

Features of steel structure shaft frame

High cost performance: in later period, skin plating gets harmonious design style with packaging (enclosure) by decoration unit. Installation position can be chosen by the user. It goes through painted anti-rusting treatment in the surface. It resists any corrosion too.







Black

Glary color silver

High grade painted aluminum alloy frame







Rose gold



Steel structure shaft frame



Aluminum alloy shaft frame




Aluminum alloy section



Section of steel structure

Professional and considerate services



Serving vast customers is our only objective. We assume that the core of service does not lie in the process. but the very result. We are not only required the extensive sales of our elevators. We also demand 100% satisfaction from our clients. Our company is engaged in enhancing the personnel's skill and quality. We strive to well-settle the service efficiency and quality. Therefore the clients can truly experience our superior and professional services. The clients of our company can get the global high quality, high standard and the professional services. All-year-round 8760-hour safeguard just for your word of "I am satisfied with it!"

- . It sets multiple service net points all over the country, it fulfills prompt and nearby repair & maintenance.
- · It ensures the excellent installation quality through the certified installation team, effective and standard installation flow.
- · Aiming at the customers' requirements, it scientifically and rationally tailor-makes the repair & maintenance plans.
- · Customer service center offers 24-hour advisory service with
- · Real-time long-distance monitor is based upon Web of Things technology with quick diagnosis. After that, repair and maintenance staff quickly goes to your doorstep.







